

2022 4th International Conference on Circuits, Control, Communication and Computing (14C-2022), 21 - 23 December 2022

Contemporary Research Trends in Plant Leaf Disease Detection

Beena K Department of CSE K S Institute of Technology Bangalore, India beenak@ksit.edu.in Sangeetha V Department of CSE Ramaiah Institute of Technology, Bangalore, India drsangeethav@msrit.edu

Abstract— Agriculture is the backbone of Indian economy. Crop yield is decreased due to various disease-causing organism on plants. Plant disease identification has major impact on the agriculture production with respect to crop quality and quantity. Disease infected plants show symptoms on many parts of the plant like leaf, stem, bud, flower, fruit and root. Early identification of the disease will prevent further crop loss. In this paper, four different sections are covered. The first section focusses on different types of disease and its symptoms. Second section discuss about different traditional methods of disease identification. And the third section cover methodologies that can be used for disease identification in plants through image processing, deep learning and convolution neural network techniques. Fourth section finally, this paper reveals that, particularly in rural areas and underdeveloped nations, relying solely on the expertise of professionals to identify and categorize diseases: can be very much time-consuming and expensive.

Keywords—agriculture, convolution neural network, disease detection, deep learning, plant disease.

I. INTRODUCTION

Agriculture is method to feed growing population. Indian economy is dependent on agriculture. More than 70% of Indian population rely on farming. The significance of agriculture has dropped since the revolution of industrialization. Around 17% to absolute GDP is payable by the agriculture, hence it is important to solve issues faced by farmers in the field of agriculture. One of major issue is disease detection in plant which is threat to farmers because it causes reduction in yield as wells as quality [1].

The major driving factor that provides existence of life on the earth from lowest primitive in the food chain is plants. All these plants are susceptible to various diseases as they are exposed to the different climatic conditions of nature. Rapid identification of leaf diseases remains difficult due to the lack of the necessary changes in agriculture practice and infrastructure. Plant disease can cause adverse consequences to the farmers whose livelihood mainly depend on the market of healthy crops and they are the major trouble causers for the food security. In the evolving world, greater than 80 percent of the agricultural production are risen by the farmers. Yield loss of more than 50% is due to diseases and pests. Few decades here after, population is awaited to grow by 100 million a year, hence there is a constraint on usage of water, soil and many other natural resources. Due to these circumstances developing countries like India have to increase their food production twice in number to feed the growing population.

Farmer's financial cycle is dependent on the kind of crop they produce, which in turn depends on the plant's development and the final yield that they might get. Therefore, in field of farming, identification of diseases is a Deepa S R Department of CSE K S Institute of Technology Bangalore, India deepasr@ksit.edu.in Vaneeta M Department of CSE K S Institute of Technology Bangalore, India vaneetam@ksit.edu.in

critical task [2]. Plants are the essential attribute for the survival of all the creatures on the Earth. Plant diseases are the key factor for the crop losses in the agriculture. Due to the importance of plants in the food chain, focus has to be given on the measures that can be taken to detect and diminish diseases in the plants. This paper presents a brief detail about common leaf diseases and methodology used to detect the same.

II. PLANT DISEASE TYPES WITH SYMPTOMS

Plants turns into diseased due to disruption caused by the causal agent which results in an abnormal physiological process that disturbs the plant's growth, normal physical structure, and many other activities. This involvement of the agent with any of the plant's essential physiological or biochemical systems turns into a symptom which can be characterized. Diseases in the plants are classified based on the features of the agent, which can be either infectious or non-infectious [3]. Plant diseases which are infectious are caused due to pathogenic organism such as a bacteria, fungi, mycoplasma, virus, nematode, or parasitic flowering plant. An infectious agent has ability of spreading the infection from one liable host to another or reproducing inside the same host. Plant diseases which are non infectious are caused due to unfavourable growing conditions, like temperature extreme, excess or deficiency of minerals, noxious components in soil, chemical changes in the atmosphere, changes in the composition of moisture and oxygen. Non-infectious agents do not carry organisms capable of reproducing within a host nor they are contagious. The various plant leaf disease with common symptom is listed below with brief information about the symptoms of the disease

A. Powdery Mildew

Powdery mildew disease affected in plants is indicated usually by the white dusty coating on flowers, stems and leaves as shown in Fig 1.



Fig 1. Powdery mildew leaf disease

979-8-3503-9747-5/22/\$31.00 @2022 IEEE

Authorized licensed use limited to: M S RAMAIAH INSTITUTE OF TECHNOLOGY. Downloaded on March 11,2023 at 03:33:52 UTC from IEEE Xplore. Restrictions apply



Malware Detection on Android Apps usingRSLBO based Dense Network in Internet ofThings

Vaneeta M¹, Deepa S R², Jyothi R³, Chaithra⁴, Beena K⁵

¹Dept. of Artificial Intelligence and Machine Learning, K. S. Institute of Technology, Bangalore, India, vaneetam@ksit.edu.in

²Dept. of Computer Science and Design, K. S. Institute of Technology, Bangalore, India, deepasr@ksit.edu.in

³Dept. of Computer Science and Engineering, Glabal Academy of Technology, Bangalore, India, jyothir@gat.ac.in

⁴School of CSE, Reva University, Bangalore, India, chaithra81@gmail.com ⁵Dept. of Computer Science and Engineering, K. S. Institute of Technology, Bangalore, India, beenak@ksit.edu.in

Abstract

Malware that poses a variety of cybersecurity risks is rapidly growing in both type and number as the IoT devices, which support a wide range of services including factories in smart cities, continue to grow in number and type. The ever-increasing popularity of Android applications has drawn a lot of attention from those who write malicious software. Research involving the use of identification of malware is now being carried out as part of efforts to safeguard Internet of Things devices from assaults. On the other hand, as a result of the proliferation of malicious software designed to target internet-connected devices and the many evasion strategies it employs, the likelihood of mistakenly classifying malware as harmless has also increased. Traditional techniques for detecting malware have a number of drawbacks, such as being computationally costly, having inadequate performance, or being insufficiently resistant. The research offers a answer to this badly-behaved in the form of a powered malware detection system that is both effective and efficient. For the final model, the software implements a cross entropy loss function to gain considerable performance increases while classifying malware. In addition, the Random Selected Leader Based Optimizer decides which hyper-parameter values should be optimized in DenseNet (RSLBO). In point of fact, the algorithm population update does not have to depend on a select few members, every ordinary associate of the population has the potential to be a leader in directing and informing the algorithm population. RSLBO is first explained, then theoretically modelled, and then used to the resolution of optimization issues. The consequences of the experiments reveal that the Android malware detection model based on the suggested method has a greater detection accuracy when compared to the classic techniques, and it also has a better detection impact when applied to obfuscated malware).

Keywords: Internet of Things; Random Selected Leader Based Optimizer; Android apps; DenseNet; Malware Detection; Imbalance Data.

DOI Number: 10.48047/NQ.2022.20.15.NQ88744

NeuroQuantology 2022; 20(15): 7444-7455

www.neuroquantology.com










4th International Conference on Circuits, Control, Communication and Computing



21st to 23rd December 2022

SOUVENIR

ISBN: 979-8-3503-9747-5/22/\$31.00 ©2022 IEEE















erence on Circuits, Control, Communication and Computing (4C) | 979-8-3503-9747-5/22/\$31.00 ©2022 IEEE | DOI: 10.1109/14C57141.2022.10057632 nternational Conf 2022 4th

Contemporary Research Trends in Plant Leaf Disease Detection

Bonns K Department of CSE K S Institute of Technology Bangalore, India beenakjäksit.edu.in

Sangeetha V draangoethav@marit.edu

Deeps S R Department of CSE Remaish Institute of Technology Bangalore, India

Department of CSE K S Institute of Technolo Bangalore, India vanertam@ksit.edu.in

Vancets M

. Abrivat- Agriculture is the backbone of Indian economy. Crop yield is decreased due to various disease-causing organisms on plants. Plant disease identification has major impact on the agriculture production with respect to crop quality and quantity. Disease infected plants show symptoms on many parts of the plant like leaf, stem, bud, flower, fruit and root, Early of the path has done and the prevent further crop loss. In this paper, four different sections are covered. The first section focusors on different types of disease and its symptoms. Second section discuss about different traditional nothods of disease identification. And the third section cover methodologies that can be used for disease identification in plants through image processing, deep learning and convolution neural network techniques. Fourth section highlights challenges and future trends in disease identification. Finally, this paper reveals that, particularly in rural areas and underdeveloped nations, relying solely on the expertise of professionals to identify and categorize diseases can be very much time-consuming and expensive.

Erymords-agriculture, convolution neural network, disease detection, deep learning, plant disease.

I. INTRODUCTION

Agriculture is method to feed growing population Indian economy is dependent on agriculture. More than 70% of Indian population rely on farming. The significance of agriculture has dropped since the revolution of industrialization. Around 17% to absolute GDP is payable by the agriculture, hence it is important to solve issues faced by farmars in the field of agriculture. One of major issue is disease detection in plant which is threat to farmars because it causes reduction in yield as wells as quality [1].

The major driving factor that provides existence of life on the earth from lowest primitive in the food chain is plants. All these plants are susceptible to various diseases as they are exposed to the different climatic conditions of nature. Rapid identification of leaf diseases remains difficult due to the lack of the necessary changes in agriculture practice and infrastructure. Plant disease can cause adverse consequences initiative reactions where can cause some consequences to the frames whose involution mainly depend on the market of healthy crops and they are the major would causers for the food security. In the evolving world, greater than 80 percent of the agricultural production are risen by the farmers. Yield loss of more than 50% is due to discuss and pests. Few decades here after, population is awaited to grow by 100 million a year, hence there is a constraint on usage of water, soil and many other natural resources. Due to these circumstances developing countries like India have to increase their food production twice in number to feed the growing population

Farmat's financial cycle is dependent on the kind of crop they produce, which in turn depends on the plant's development and the final yield that they might get. Therefore, in field of furning, identification of diseases is a

979-8-3503-9747-5/22/\$31.00 ©2022 IEEE

deepasr@krit.edu.in critical task [2]. Plants are the essential attribute for the survival of all the creatures on the Earth. Plant diseases are

the key factor for the crop losses in the agriculture. Due to the importance of plants in the food chain, focus has to be given on the measures that can be taken to detect and diminish diseases in the plants. This paper presents a brief detail about common leaf diseases and methodology used to detect the same.

II. PLANT DISEASE TYPES WITH SYMPTOMS

Plants turns into diseased due to disruption caused by the causal agent which results in an abnormal physiological process that disturbs the plant's growth, normal physical structure, and many other activities. This involvement of the agent with any of the plant's essential physiological or biochemical systems turns into a symptom which can be characterized. Diseases in the plants are classified based on the features of the agent, which can be either infectious or non-infectious [3]. Plant diseases which are infectious are caused due to pathogenic organism such as a bacteria, fungi, mycoplasma, virus, nematode, or parasitic flowering plant. An infectious agent has ability of spreading the infection from one liable host to another or reproducing inside the same host. Plant diseases which are non-infactions are caused due to unfavourable growing conditions, like temperature extreme, excess or deficiency of minerals, notious contropents in soil, chemical changes in the atmosphere, changes in the composition of moisture and oxygen. Non-infectious agents do not carry organisms capable of reproducing within a host nor they are contagious. The various plant leaf disease with common symptom is listed below with brief information about the symptoms of the disease

A. Powdery Mildew

Powdery mildew disease affected in plants is indicated usually by the white dusty costing on flowers, stems and leaves as shown in Fig 1.



Fig 1. Powdery mildew leaf da

Authorized Roenzed use limited to: M S RAMAUAH INSTITUTE OF TECHNOLOGY, Downloaded on March 11,2023 at 00:53:52 UTO from IEEE Xplore, Restrictions apply



MANIPAL INSTITUTE OF TECHNOLOGY MANIPAL

(A constituent unit of MAHE, Manipal)

Second International Conference on Artificial Intelligence, Computational Electronics and Communication System (AICECS 2023) Organized by Department of Electronics & Communication Engineering, Manipal Institute of Technology, Manipal, Udupi, India, 576104

Conference Dates: 16th -17th FEBRUARY 2023

Call for Papers

Paper submission Link : Through Morressier (https://tinyurl.com/56mf7kwn) Conference Website: http://aicecs.in/ Contact: Dr. Tanweer (+91-9611863601), Dr. Pramod Kumar (+91-8618218389), Dr. Shounak (+91-7892639076), Dr. Pallavi Mane (+91-6364920856).


MANIPAL IN MANIPAL (A constituent unit of MAHE,	STITUTE OF 7	TECHNOLO	DGY	
	RNATIONAL CONFE ELECTRONICS AND 16-17 Fi		ION SYSTEM (AICE	-
IOP: Journal of Physics Conference		TION CERTIF		Manuscript: 28 (peer reviewed)
This certificate is present " <u>Traffic Controllinf in S</u> Intelligence, Computation	<mark>Smart Cities</mark> " in th	he Second Inte	ernational Conferer	nce on Artificial
Department of Electroni Manipal. This paper has l	been submitted to be	e published in I	OP: Journal of Phy	
proceedings journal by th	e institute of Physic	s, United Kingd	iom.	
P Karra Sharra	Dr. Pallavi R Mane	Januer Dr. Tanweer	Dr. Pramod Kumar	Dr. Shounak De
Dr. Kumara Shama HOD-ECE, MIT Manipal	General Chair	General Chair	General Chair	General Chair







4th International Conference on Circuits, Control, Communication and Computing



21st to 23rd December 2022

SOUVENIR

ISBN: 979-8-3503-9747-5/22/\$31.00 ©2022 IEEE















erence on Circuits, Control, Communication and Computing (4C) | 979-8-3503-9747-5/22/\$31.00 ©2022 IEEE | DOI: 10.1109/14C57141.2022.10057632 nternational Conf 2022 4th 2022 4th International Conference on Circuits, Control, Communication and Computing (I4C-2022), 21 - 23 December 2022

Contemporary Research Trends in Plant Leaf Disease Detection

Beena K Department of CSE K S Institute of Technology Bangalore, India beenak@ksit.edu.in Sangeetha V Department of CSE Ramaiah Institute of Technology, Bangalore, India drsangeethav@msrit.edu Deepa S R Department of CSE K S Institute of Technology Bangalore, India deepasr@ksit.edu.in Vaneeta M Department of CSE K S Institute of Technology Bangalore, India vaneetam@ksit.edu.in

Abstract- Agriculture is the backbone of Indian economy. Crop yield is decreased due to various disease-causing organism on plants. Plant disease identification has major impact on the agriculture production with respect to crop quality and quantity. Disease infected plants show symptoms on many parts of the plant like leaf, stem, bud, flower, fruit and root. Early identification of the disease will prevent further crop loss. In this paper, four different sections are covered. The first section focusses on different types of disease and its symptoms. Second section discuss about different traditional methods of disease identification. And the third section cover methodologies that can be used for disease identification in plants through image processing, deep learning and convolution neural network techniques. Fourth section highlights challenges and future trends in disease identification. Finally, this paper reveals that, particularly in rural areas and underdeveloped nations, relying solely on the expertise of professionals to identify and categorize diseases can be very much time-consuming and expensive.

Kcywords—agriculture, convolution neural network, disease detection, deep learning, plant disease.

I. INTRODUCTION

Agriculture is method to feed growing population. Indian economy is dependent on agriculture. More than 70% of Indian population rely on farming. The significance of agriculture has dropped since the revolution of industrialization. Around 17% to absolute GDP is payable by the agriculture, hence it is important to solve issues faced by farmers in the field of agriculture. One of major issue is disease detection in plant which is threat to farmers because it causes reduction in yield as wells as quality [1].

The major driving factor that provides existence of life on the earth from lowest primitive in the food chain is plants. All these plants are susceptible to various diseases as they are exposed to the different climatic conditions of nature. Rapid identification of leaf diseases remains difficult due to the lack of the necessary changes in agriculture practice and infrastructure. Plant disease can cause adverse consequences to the farmers whose livelihood mainly depend on the market of healthy crops and they are the major trouble causers for the food security. In the evolving world, greater than 80 percent of the agricultural production are risen by the farmers. Yield loss of more than 50% is due to diseases and pests. Few decades here after, population is awaited to grow by 100 million a year, hence there is a constraint on usage of water, soil and many other natural resources. Due to these circumstances developing countries like India have to increase their food production twice in number to feed the growing population.

Farmer's financial cycle is dependent on the kind of crop they produce, which in turn depends on the plant's development and the final yield that they might get. Therefore, in field of farming, identification of diseases is a critical task [2]. Plants are the essential attribute for the survival of all the creatures on the Earth. Plant diseases are the key factor for the crop losses in the agriculture. Due to the importance of plants in the food chain, focus has to be given on the measures that can be taken to detect and diminish diseases in the plants. This paper presents a brief detail about common leaf diseases and methodology used to detect the same.

II. PLANT DISEASE TYPES WITH SYMPTOMS

Plants turns into diseased due to disruption caused by the causal agent which results in an abnormal physiological process that disturbs the plant's growth, normal physical structure, and many other activities. This involvement of the agent with any of the plant's essential physiological or biochemical systems turns into a symptom which can be characterized. Diseases in the plants are classified based on the features of the agent, which can be either infectious or non-infectious [3]. Plant diseases which are infectious are caused due to pathogenic organism such as a bacteria, fungi, mycoplasma, virus, nematode, or parasitic flowering plant. An infectious agent has ability of spreading the infection from one liable host to another or reproducing Plant diseases which are non inside the same host. infectious are caused due to unfavourable growing conditions, like temperature extreme, excess or deficiency of minerals, noxious components in soil, chemical changes in the atmosphere, changes in the composition of moisture and oxygen. Non-infectious agents do not carry organisms capable of reproducing within a host nor they are contagious. The various plant leaf disease with common symptom is listed below with brief information about the symptoms of the disease

A. Powdery Mildew

Powdery mildew disease affected in plants is indicated usually by the white dusty coating on flowers, stems and leaves as shown in Fig 1.



Fig 1. Powdery mildew leaf disease

/8/24, 9:58 AM	Real-Time Piracy Detection Based on Thermogram Analysis	
SPRING	RLINK	Login
∑ Menu	Q Search	॑ੵੵ Cart
Home > Comp	utational Intelligence in Communications and E	Business Analytics > Conference paper
Real-Ti	me Piracy Detection Ba	nsed on
	ogram Analysis and Ma	
Technic	ues	
Conference pape	r First Online: 22 July 2022	
pp 336-350 C	te this conference paper	



Computational Intelligence in Communications and Business Analytics

(CICBA 2022)

B. Sanjana 🖂, M. Sirisha, Pruthvi Dinesh, G. R. Sunil Kumar & Surekha Borra

Part of the book series: Communications in Computer and Information Science ((CCIS,volume 1579))

Included in the following conference series: International Conference on Computational Intelligence in Communications and Business Analytics

396 Accesses **2** <u>Citations</u>

https://link.springer.com/chapter/10.1007/978-3-031-10766-5_27

4/8/24, 9:59 AM Real-Time Piracy Detection Based on Thermogram Analysis and Machine Learning Techniques | SpringerLink and Business Analytics. CICBA 2022. Communications in Computer and Information Science, vol 1579. Springer, Cham. https://doi.org/10.1007/978-3-031-10766-5_27

.RIS生 .ENW生 .BIB生

DOI Published Publisher Name https://doi.org/10.1007/978 22 July 2022 Springer, Cham -3-031-10766-5_27 Print ISBN Online ISBN eBook Packages 978-3-031-10765-8 978-3-031-10766-5

đ

Computer Science Computer Science (R0)

Publish with us

Policies and ethics

https://link.springer.com/chapter/10.1007/978-3-031-10766-5_27


SPRINGER LINK

E Menu

& Log in

Q Search

D Cart



Home > Computational Intelligence in Communications and Business Analytics > Conference paper

Real-Time Piracy Detection Based on Thermogram Analysis and Machine Learning Techniques

<u>B. Sanjana ^{CD}, M. Sirisha, Pruthvi Dinesh, G. R. Sunil Kumar</u> & Surekha Borra

.

Conference paper | First Online: 22 July 2022

284 Accesses

Part of the Communications in Computer and Information Science book series (CCIS,volume 1579)

Abstract

Movie Piracy is increasing these days, and it has a profound impact on the economic growth of film industries all over the world. Hence curbing piracy has become a critical step in avoiding massive losses to the film industry. This paper proposes a thermogram based anti-piracy system using Machine learning models. A local dataset is created by capturing the images in different scenarios by employing a thermal camera. AlexNet is used for extracting the features from captured images and the extracted features are trained with several Machine Learning models in MATLAB for their performance

Chronological-Squirrel Earth Worm Optimization for Power Minimization Using Topology Management in MANET | SpringerLink

SPRINGER LINK

Log in

≡ Menu | Q Search

🕂 Cart

Home > Distributed Computing and Optimization Techniques > Conference paper

Chronological-Squirrel Earth Worm Optimization for Power Minimization Using Topology Management in MANET

| Conference paper | First Online: 12 September 2022

| pp 219-229 | Cite this conference paper

Distributed Computing and Optimization Techniques

B. Devika 🛛 & P. N. Sudha

Part of the book series: Lecture Notes in Electrical Engineering ((LNEE, volume 903))

465 Accesses

Abstract

This paper developed a Chronological–Squirrel Earth Worm optimization (C–SEWO) algorithm in MANET for clustering using the topology management. The clustering is performed based on the developed C–SEWO approach and objective functions. The proposed

https://link.springer.com/chapter/10.1007/978-981-19-2281-7_21

4/8/24, 10:06 AM

Chronological-Squirrel Earth Worm Optimization for Power Minimization Using Topology Management in MANET | SpringerLink

Chandrappa Dasanapura Nanjundaiah

Rights and permissions

Reprints and permissions

Copyright information

© 2022 The Author(s), under exclusive license to Springer Nature Singapore Pte Ltd.

About this paper

Cite this paper

Devika, B., Sudha, P.N. (2022). Chronological–Squirrel Earth Worm Optimization for Power Minimization Using Topology Management in MANET. In: Majhi, S., Prado, R.P.d., Dasanapura Nanjundaiah, C. (eds) Distributed Computing and Optimization Techniques. Lecture Notes in Electrical Engineering, vol 903. Springer, Singapore. https://doi.org/10.1007/978-981-19-2281-7_21

.RIS 生 .ENW 生 .BIB 生

DOI Published https://doi.org/10.1007/978 12 September 2022 -981-19-2281-7_21

Publisher Name Springer, Singapore

Print ISBN 978-981-19-2280-0

Online ISBN 978-981-19-2281-7

eBook Packages <u>Computer Science</u> Computer Science (R0)

Publish with us

https://link.springer.com/chapter/10.1007/978-981-19-2281-7_21

8/9

SPRINGER LINK

🛆 Log in

 \equiv Menu Q Search

🕂 Cart



Distributed Computing and Optimization Techniques pp 219–229

Home > Distributed Computing and Optimization Techniques > Conference paper

Chronological-Squirrel Earth Worm Optimization for Power Minimization Using Topology Management in MANET

B. Devika 🖾 & P. N. Sudha

Conference paper | <u>First Online: 12 September 2022</u> Part of the <u>Lecture Notes in Electrical Engineering</u> book series (LNEE,volume 903)

Abstract

This paper developed a Chronological-Squirrel Earth Worm optimization (C-SEWO) algorithm in MANET for clustering using the topology management. The clustering is performed based on the developed C-SEWO algorithm and objective functions. The proposed C-SEWO algorithm is designed by combining the Chronological-Earth Worm Optimization algorithm (C-EWO) and Squirrel Search Optimization Algorithm (SSA). Further, the objective functions are computed in terms of the factors, like power, mobility, connectivity, distance, and link lifetime. After the cluster selection, every node in the cluster generates the Gabriel graph for equivalent cluster, then every node updates the file of the neighbor and also preserves graph connectivity and regulates transmission power using the

4/8/24, 10:09 AM	1	OS Press Ebooks - In-Theatre Real Time Piracy Dete	ction and Discouraging System	n
IOS Pre	ss Ebooks	-	Your cart is empty	
	35 200013	4	Guest Access ?	Register Log in
Home	Ebooks Open	Access About IOS Press Contact F	FAQ	
Search > SEARCH	A constraint of the second sec	In-Theatre Real Time Piracy Detection and Discouragi Authors Pruthvi Dinesh, Sanjana B, Sirisha M, Sunil Borra Pages 220 - 229 DOI 10.3233/FAIA220716 Category Research Article Series Frontiers in Artificial Intelligence and Applica	Kumar G R, <mark>Surekha</mark>	Download
Browse by subject	- I	Ebook Volume 365: Design Studies and Intelligence		
Computer Sciences. Mathematics & Statistics Environmental & Energy Sciences Humanities & Social Sciences Medicine & Health Natural Sciences Technology, Engineering & Architecture		Abstract Today, movie piracy is greatly affecting the economic growth of Hence, combatting piracy is critical in averting losses for the fili paper aimed to develop an anti-piracy model composed of a re degradation system and a piracy activity estimation system, wh on Thermogram analysis and an ARDUINO programmed IR LE estimating system, the Cubic SVM model is trained to classify I acquired from the theatre environment into normal and abnorm accuracy of about 99.9% is achieved in real time while testing 1 proposed piracy discouraging system is programmed to real tim of pirated video and to invisibly watermark the pirated video wil date, and time information. The distortion created by our protot evaluated by recording pirated video quality is compared object Based on the subject's quality rating, it was found that the syste degradation in the visual quality of pirated video to discourage	m producers. This hal time pirated video tich in turn are based EDs array. In the pirate the thermal images that classes. An for piracy actions. The me degrade the quality th the theatre name, ype system is ferent mobile cameras tively and subjectively. em has created enough	
iontact lorth America urope sia	¢.	IOS Press Copyright 2024 Disclaimer Terms of use Privacy Policy Contact FA	٥	FOLLOW US ON TWITTER

https://ebooks.iospress.nl/volumearticle/62652

1/1

4/8/24, 9:44 AM

Design Studies and Intelligence Engineering | Frontiers in Artificial Intelligence and Applications (FAIA)

OS Press Frontiers in Artificial Intelligence and Applications (FAIA)

Home

Design Studies and Intelligence Engineering

Submitted by admin on Tue, 01/31/2023 - 14:46

Proceedings of DSIE 2022

The technologies applied in design studies vary from basic theories to more application-based systems. Intelligence engineering also plays a significant role in design sciences such as computer-aided industrial design, human factor design, and greenhouse design, and intelligent engineering technologies such as computational technologies, sensing technologies, and video detection encompass both theory and application perspectives. Being multidisciplinary in nature, intelligence engineering promotes cooperation, exchange and discussion between organizations and researchers from diverse fields.



This book presents the proceedings of DSIE 2022, the International Symposium on Design Studies and Intelligence Engineering, held in Hangzhou, China, on 29 & 30 October 2022. This annual conference proves a platform for professionals and researchers from industry and academia to exchange and discuss recent advances in the field of design studies and intelligence engineering, inviting renowned experts from around the world to speak on their specialist topics, and allowing for in-depth discussion with presenters. The 189 submissions received were each carefully reviewed by 3 or 4 referees, and the 62 papers accepted for presentation and publication were selected based on their scores. Papers cover a very wide range of topics, from the design of a bachelor apartment, or a children's backpack for healthy spine development, to interpretable neural symbol learning methods and design elements extraction from point-cloud datasets using deep enhancement learning.

Offering a varied overview of recent developments in design and intelligence engineering, this book will be of interest to all those working in the field.

Editors: Jain, L.C., Balas, V.E., Wu, Q., Shi, F. Pages: 666

Binding: softcover Received a state of the second Volume 365 of Frontiers in Artificial Intelligence and Applications 1,200,000 ISBN print: 978-1-64368-372-0 ISBN online: 978-1-64368-373-7

https://frontiersinai.com/?q=node/300

Design Studies and Intelligence Engineering L.C. Jain et al. (Eds.) © 2023 The authors and IOS Press. This article is published online with Open Access by IOS Press and distributed under the terms of the Creative Commons Attribution Non-Commercial License 4.0 (CC BY-NC 4.0). doi:10.3233/FAIA220716

In-Theatre Real Time Piracy Detection and Discouraging System

Pruthvi Dinesh^a, Sanjana B^b, Sirisha M^c, Sunil Kumar G R^d and Surekha Borra^{e,1} ^{a-e}Department of ECE, K.S. Institute of Technology, Bangalore, Karnataka, INDIA

Abstract. Today, movie piracy is greatly affecting the economic growth of the film industry. Hence, combatting piracy is critical in averting losses for the film producers. This paper aimed to develop an anti-piracy model composed of a real time pirated video degradation system and a piracy activity estimation system, which in turn are based on Thermogram analysis and an ARDUINO programmed IR LEDs array. In the pirate estimating system, the Cubic SVM model is trained to classify the thermal images acquired from the theatre environment into normal and abnormal classes. An accuracy of about 99.9% is achieved in real time while testing for piracy actions. The proposed piracy discouraging system is programmed to real time degrade the quality of pirated video and to invisibly watermark the pirated video with the theatre name, date, and time information. The distortion created by our prototype system is evaluated by recording the video displayed on screen using different mobile cameras and the corresponding pirated video quality is compared objectively and subjectively. Based on the subject's quality rating, it was found that the system has created enough degradation in the visual quality of pirated video to discourage piracy.

Keywords. Alex Net, Camcorder, Movie Piracy, SVM

1. Introduction

Cinema is the major source of entertainment for people all over the world. Movie piracy is the act of unauthorized acquisition of copyrighted content without the authorization of film makers. This is a new epidemic that is economically impacting the film industry on a global level. According to a survey [1-5], pirated movies gain around 230 billion views every year. It was also reported that Indian media lost about US\$2.8 billion to piracy. As per the study conducted by the US-India Business Council (USIBC), the Indian film industry experiences a loss of 11% in employment due to piracy. It also influences content creation by discouraging filmmakers, directors, and producers from making sequels and remakes. Consequently, national government and entertainment firms have come up with effective strategies and tools to combat piracy. The Indian government implemented the Cinematograph Act in the year 2019 that declares piracy as a crime and penalizes pirates with three years of imprisonment and with a fine of 10 lakh rupees.

Movies can be pirated before they are released, which is known as pre-release piracy [6-10]. On the other hand, if a movie is pirated after the release, it is known as post-release piracy. In the pre-release piracy, a movie is recorded by guests or theatre operators during private screenings for VIPs and critics.

¹Surekha Borra

4/8/24, 10:14 AM

Detection and Classification of Leukocytes in Blood Smear Images: State of the Art and Challenges | IGI Global



Detection and Classification of Leukocytes in Blood Smear Images: State of the Art and Challenges $\ensuremath{\mathfrak{S}}$

Renuka Veerappa Tali, Surekha Borra, Mufti Mahmud

Source Title: Research Anthology on Improving Medical Imaging Techniques for Analysis and Intervention (/gateway/book/308672) Copyright: © 2023

Pages: 32

ISBN13: 9781668475447ISBN10: 1668475448EISBN13: 9781668475454

DOI: 10.4018/978-1-6684-7544-7.ch057

Cite Chapter ❤ Favorite ★

View Full Text HTML >

View Full Text PDF >

.

(/gateway/chapter/full-texthtml/315094)

(/gateway/chapter/full-textpdf/315094)

Abstract

Manual analysis of microscopic blood smears by highly expert pathologists is labor-intensive, time-consuming, and is subject to interobserver variations. Recent innovations in image processing and computer vision techniques have improvised digital pathology in terms of objectivity and reproducibility. Traditional computer vision-based methods of recognition of white blood cell (WBC) from a pathological blood smear image includes the process of detection, segmentation, and classification. This paper presents a review of state-of-the-art detection, segmentation, and classification techniques for white blood cell analysis. The goal of this work is to present an introduction to the field, provide enough information about the analysis methods developed so far, and to be an appropriate reference for the researchers looking forward in this field. The methods under review are classified into intensity and feature based. The crucial steps involved in these techniques, mathematical foresights, performance evaluation techniques, issues, and future directions are discussed.

Request access from your librarian to read this chapter's full text.

https://www.igi-global.com/gateway/chapter/315094

Chapter 57 Detection and Classification of Leukocytes in Blood Smear Images: State of the Art and Challenges

Renuka Veerappa Tali

K. S. School of Engineering and Management, India

Surekha Borra

K. S. Institute of Technology, India

Mufti Mahmud

Image: https://orcid.org/0000-0002-2037-8348
 Nottingham Trent University, UK

ABSTRACT

Manual analysis of microscopic blood smears by highly expert pathologists is labor-intensive, timeconsuming, and is subject to inter-observer variations. Recent innovations in image processing and computer vision techniques have improvised digital pathology in terms of objectivity and reproducibility. Traditional computer vision-based methods of recognition of white blood cell (WBC) from a pathological blood smear image includes the process of detection, segmentation, and classification. This paper presents a review of state-of-the-art detection, segmentation, and classification techniques for white blood cell analysis. The goal of this work is to present an introduction to the field, provide enough information about the analysis methods developed so far, and to be an appropriate reference for the researchers looking forward in this field. The methods under review are classified into intensity and feature based. The crucial steps involved in these techniques, mathematical foresights, performance evaluation techniques, issues, and future directions are discussed.

DOI: 10.4018/978-1-6684-7544-7.ch057

Copyright © 2023, IGI Global. Copying or distributing in print or electronic forms without written permission of IGI Global is prohibited.

Government of Karnataka Department of Collegiate and Technical Education



International Conference on Advances In Engineering and Technology

(ICAET2023)

12th and 13th April, 2023 (Hybrid Mode)



Government Engineering College K R Pet – 571426, Mandya District, Karnataka, India

About the Institution

Government Engineering College, K R Pet is started in the year 2007 by the Karnataka State Government under the Department of Higher Education (Technical) in K R Pet, Mandya District. The Institution is recognized and approved by All India Council for Technical Education, New Delhi and affiliated to Visvesvaraya Technological University, Belagavi, Karnataka (VTU). The institution is offering four under graduate programmes in Engineering namely, Civil, Mechanical, Electronics and Communication and Computer science and Engineering. All the departments have been recognized as Research centers by the VTU. Many Research Scholars are pursuing their Ph.D. and M.Sc. (Engg.) by research under the ambience of renowned state technological university, VTU, Belagavi. All the departments are equipped with excellent lab facilities and Industry -Interaction cell in order to impart the knowledge of modern global trends in Engineering and Technology.

About the Conference

International Conference on Advances in Engineering and Technology: **ICAET2023** is organized by the Government Engineering College, K R Pet. The main aim of this conference is to create a platform to meet all the creative minds of Post Graduates, Research scholars, experts, industrialists and other eminent personalities who may explore their ideas and research works in the areas of Engineering and Technology. Mainly the conference focuses on the following trends in Engineering:

Computer Science and Engineering:

i)Advanced Computer Networks, ii) Algorithms and data structures, iii) Automata Theory, iv) Big data , v) Computational Science and Applications, vi) Cryptography, vii) Data Mining, viii) Artificial intelligence and information system, ix) Devops Models, Practices, challenges, Information Theory, x) Internet of things, xi) Natural language processing xii) Probabilistic computation, Program Semantics and Verification

Electronics and Communication Engineering:

i)Artificial Intelligence and Information Systems, ii) Wireless antennas iii) VLSI Design iv) Optimization Techniques in MIMO Radar Systems, v) Electronics and communication circuits and systems, vi) Robotics, Power system controls and Industrial automation, vii) Signal Processing, Image Processing and Speech Processing techniques

Mechanical Engineering:

i) Shape Memory Polymers , ii) Processing, characterization and testing of Engineering Materials , iii) Robotics and automation, iv) Computational fluid dynamics , v) Design in Mechanical Engineering, vi) Fluid mechanics vii) Heat transfer and its applications, viii) Dimensional analysis, ix) Vibrations in Mechanical structures, x) ANN, DOE, CCD Techniques applied to Mechanical Engineering, xi) CAD/CAM/CIM/CNC/DNC and Machining of metals, welding technologies, 3D printing and xii) Production technologies

Civil Engineering:

i) Urban design, ii) Advance Construction Techniques,
iii) Earth resistance techniques, iv) Fiber Reinforced
Concrete, v) Solar Building, vi) Hydrology, vii)
Submerged Floating tunnels, viii) Pavement Design, ix)
Nano Technology In Civil Engineering, x) High
performance Concrete, xi) Geotextiles, xii) Green
Concrete xiii) Solar Energy and others.

Other topics related to Engineering and Technology

Who can Participate and Publish

Research Scholars, PG scholars and Industrial experts and research scientists from premier research institutes who can share their expertise in the relevant research field in the form of presentation and publication. Research, Reviews and other upcoming technological articles in the field of Engineering and Technology are welcome

Chief Patrons

Smt. Rashmi V Mahesh, I A S Principal Secretary, Department of Higher Education, Government of Karnataka Sri. Pradeep P, I A S

Commissioner, Department of Collegiate and Technical Education, Government of Karnataka Sri. N Ravichandran

Director, Department of Technical Education, Government of Karnataka

Patron

Dr. K R Dinesh Principal, Government Engineering College, K R Pet

Conveners

Dr. Ramesh N HOD, Civil Engineering, GEC K R Pet Dr. Hareesh K HOD, CS & Engineering, GEC K R Pet Dr. Praveen Kumar B S HOD, Mechanical Engineering, GEC K R Pet Dr. Raveendra K HOD, E & C Engineering, GEC K R Pet

Organizing Chair

Dr. Rudresh B M Mechanical Engineering, GEC, K R Pet Mobile No.: 9731147430

Organizing Secretary

Dr. Nagabhushana H M E and C Engineering, GEC, K R Pet Mobile No.: 9986703094

Chief organizing Coordinators

Dr. K Arun Kumar Civil Engineering, GEC K R Pet Mobile No.: 9986306543

Dr. Shankar Naik Mechanical Engineering, GEC K R Pet Mobile No.: 9844822186 Dr. Devika G Computer Science and Engineering, GEC K R Pet Mobile No.: 9449364027 Dr. Sowmyashree M S

E and C Engineering, GEC K R Pet Mobile No.: 9880831010

Department Coordinators

Dr. Naveen T H Computer Science and Engineering, GEC K R Pet Mobile No.: 9900096803 Dr. Suhael Ahmed S Mechanical Engineering, GEC K R Pet Mobile No.: 9110261122 Mr. Nandeesh R E and C Engineering, GEC K R Pet Mobile No.:9986283346

Technical Advisory Committee

Dr. Canan Akshu Canbay Professor, Materials Science, Firat University, Italy Dr. Dharmasa Professor, Electrical and Computer Engineering, National University, Oman Dr. Ashok Rao Former Head, Network Project, DESE, IISc, Bangalore, India **Dr.Srinivas K G** Professor, IIIT, Nayaraipur, India Dr. Shivanagendra S M Professor, Civil Engineering, IIT, Chennai, India Dr. Srihari Professor, Civil Engineering, NIT, Karnataka, India Dr. Suresha Bheemappa Professor, Mechanical Engineering, NIE, Mysore Dr. Suresh R Professor, MSRUAS, Bangalore, India Dr. Manjaiah Professor, Mangalore University, Mangalore **Dr. S** Nikolas Professor, NIT, Thiruchirapalli, Tamilnadu, India Dr. T D Vishnumurthy, Professor, UBDTCE

Publication and Presentation Details

All presented papers will be published in the journal "Journal of Emerging Technologies and Innovative Research", (ISSN: 2349-5162) (UGC Approved: No.63975) with free of cost. All the authors will be issued with hard copy Certificates along with conference proceedings.

Delegates	Indian (Rs.)	Foreign
PG/Research Scholar	1000.00	\$ 13
Academicians, Industrial expert, Research Institutes	1500.00	\$ 19
Account type: Savings E A/c holder Name: Princ College, K R Pet -571426 Account Number 6404 Bank: State Bank of Ind IFSC: SBIN0040039	cipal, Governme , Mandya Distri 0285505	ct
Important Dates		
Last date for abstrac submission	t March 2	5 th 2023
Last date for Camera ready paper submission	April 5 th 2023	
Conference date		nd 13 th 2023
All abstracts, camera rea	dy papers and S	Scanned copy
of fee paid receip	ot must be	send to:
icaet2023@gmail.c	om	
	UIII	
Address for Correspon		

Email:bmrudreshan@gmail.com

Dr. Nagabhushana H M Organizing Secretary, ICAET2023 Mobile Number: 9986703094 Email:bhushana.hm@gmail.com

EMISSION REDUCTION OF DIESEL ENGINE BY USING COMBINATION OF AFTERTREATMENT DEVICES

Nagaprasad K S¹, Molakalu Punith², Rajesh Kumar Kodi³, Ranganatha Swamy L⁴, Shankara Naik L⁵, D Madhu⁶ ¹Associate Professor, ²Assistant Engineer, ³Bio-energy research and quality assurance laboratory,.⁴Associate Professor, ⁵Associate Professor ¹K.S. Institute of Technology, Bengaluru, India, ²Abamka Technical Pvt. Ltd., Kolar, India, ³University of Agricultural Sciences, Bangalore, India, ⁴BGS Institute of Technology, B.G.Nagara, India, ⁵Government College of Engineering, Haveri, India

Abstract: Engine manufactures efforts to meet more and more stringent standards is done by adopting aftertreatment devices. Many aftertreatment devics viz; Diesel particulate filter (DPF), Diesel oxidation catalyst (DOC), Selective Catalytic reduction (SCR), NOx traps etc., induce significant gain in emissions reduction were tried. In this study, three post treatment devices viz; diesel particulate filter, diesel oxidation catalyst and new catalytic converter were fixed at exhaust pipe of engine. Experiments were conducted on a diesel engine adopted with these aftertreatment devices individually and also combined. All tests were conducted at different loads viz. 4 kg and 6 kg load. At 6 kg loads, the thermal efficiency of engine is found to be 21.45%. Overall comparison of all the results, the least emission level was recorded when engine is operated at sixty percent full load with combined DPF, DOC and new catalytic converter; with emissions values were HC 40 ppm, CO 0.1 %, and NO 332 ppm.

Keywords: Compression Ignition engine, Catalytic Converter, Diesel Engine Exhaust.

1. INTRODUCTION

The capability to operate with leaner air fuel ratio and utilization of higher compression ratio are the two integral determinants that validates the immense thermal efficiency and substantial specific power output of the CI engines concurrent with fuel economy that publicizes their deployment as most proficient prime movers in the areas of farming, industries and transportation across the globe. In contrast, diesel engines are the leading benefactor of oxides of nitrogen (NOx) and particulate matter (PM) emissions erupted due to cumulative premixed flame combustion and diffusion flame combustion that ruins the health of an individual. In spite of an injection of water and hydrogen peroxide and Exhaust Gas Recirculation (EGR) in to combustion chamber of a CI engine are the renowned approaches of mitigating the incylinder formation of NOx and particulate emission, EGR and water injection routines exceptionally cut down NOx and no sizable betterment in the attenuation of PM could be perceived; while, conflicting sequel is derived with an injection of hydrogen peroxide. Refinements in the engine geometry and revisals of diesel fuel with an addition of oxygenating agents such as biofuels to enhance the cetane number and fuel volatility are the supplementary means that setback to concurrently downsize the in-cylinder formation of NOx and PM. The use of after treatment devices such as Diesel particulate filter (DPF), Selective Catalytic Reduction (SCR), Diesel oxidation catalyst (DOC), NOx traps etc., are the post combustion techniques adopted to reduce the tailpipe emission of NOX and PM.

Although, the usage of water-in-diesel emulsions for diesel engine applications exhibited optimistic consequences, showed trade-off in terms of efficiency and NOx emissions. The blends of diesel-biodiesel 80:20 by volume have shown favourable sequels in terms of engine emissions and performance parameters. The outcome of the experimentation with a fuel composed of blend of Diesel-Neem biodiesel (80:20) supplemented with 5% water (by volume) and 1% surfactant (by volume) along with 0.5% Di-tertiary butyl peroxide (by volume) unveiled the improved performance with diminished specific energy consumption and attenuated NOx emission of 45% and 29% compared to that of diesel-biodiesel blend and

Paper id

Journal of Emerging Technologies and Innovative Research (JETIR) www.jetir.org

© 20XX JETIR Month 201X, Volume X, Issue X

www.jetir.org (ISSN-2349-5162)

diesel fuel respectively [1]. The exertion of DPF instigated in the diminishment of soot by 40% was noticed at full loading conditions [2]. The experimentation with the utilization of low-cost catalyst composed of silica, alumina and activated charcoal on single cylinder engine under full loading conditions ascertained that emission of NOx shortened by 21% in contrary to the engine operation with catalyst of noble metals [3]. The demonstration on diesel engine fuelled with the blends of diesel-biodiesel with electrochemically activated cells composed of CuO-YSZ electrolyte and CuO-YSZ electrolyte with BaO coating has concluded the considerable NOx adulteration with coincidental decrement of emissions of HC and PM [4]. The engine ran with blend of 40% biodiesel extracted from chicken skin-diesel incorporated with copper doped zeolite coated catalyst at 4.3 kW load have shown explored the slashed emissions of HC, CO, NOX and smoke 9.71%, 5.32%, 11.3%, and 34.9% analogous to the catalysts available commercially [5]. The exploitation of urea -water SCR system with an engine operated with a blend of 25% madhuca indica bio-diesel -diesel blend shown-off declined emissions of HC and NOx by 5.8% and 1.2% in contrast to base diesel fuel [6]. Exertion of nanoparticles in the biodieseldiesel blends results in better atomization of the fuel, reduced ignition delay and hence accelerates the combustion and inevitably decline the particulate emission. The deployment of Al₂O₃ nanoparticles 25-100 ppm in steps of 25 ppm with 20% microalgae biodiesel-80% diesel blend has shown positive impact on the thermal efficiency and considerable decrement in the NOx emission with 50 ppm of Al₂O₃ nanoparticles in the blend compared to the biodiesel-diesel blend [7]. Addition of 25 ppm zirconium oxide (Zr2O3) nano additives in B20 spirulina microalgae biodiesel blend (20% spirulina microalgae biodiesel + 80% diesel fuel) revealed that inhabitance of Zr2O3 nano additives in B20 blend effectuated in lowering BSEC by 4.9%, elevated BTE by 7.9% and adulterated NOx emissions by 9.4%. [8]. The adoption of multiwalled carbon nano-tubes in the mass fraction of 25 ppm palm methyl ester/ jatropha methyl ester on the diesel engine exhibited a considerable betterment in performance and minute attenuation in terms of emissions [9]. The trials on the diesel engine with the nanoparticles unveiled the substantial decline in the emissions of NOx and CO compared to that with the base diesel operation alone [10].

2. EXPERIMENTAL SETUP

Fabrication of New Catalytic Convertor

Catalytic converter consisted of platinum, paladium and rhodium metals with the composition of 3:1:1. Platinum was dissolved in the solution of hexa hydrated aluminium chloride (AlC₃.6H₂O). The prepared solution was washed, coated to the ceramic substrate which is honeycomb structure. Two-dimensional design and three-dimensional model of catalytic convertor is shown in figure 1 and 2 respectively. The photograph of cutting process and welding of catalytic convertor during the fabrication is shown in figure 3 and 4 respectively.






Figure 1 Two-dimensional design of Catalytic Converter

Figure 2 Three-dimensional design of Catalytic Converter

Paper id

Journal of Emerging Technologies and Innovative Research (JETIR) www.jetir.org

© 20XX JETIR Month 201X, Volume X, Issue X

www.jetir.org (ISSN-2349-5162)




Figure 3 Cutting of sheet metal

Figure 4 Welding of New Catalytic Converter

Experiments were conducted on a diesel engine having three aftertreatment devices. The engine specifications are shown in the table 1. All tests were conducted at different loads like, zero, sixty percent and eighty percent full load. The engine speed was maintained at 1500 rpm. After every load, the engine was allowed to attain steady state for 15 minutes. The specification of DPF, DOC and Catalytic Convertor is given in table 2, 3 and

4 respectively. Figure 5 shows the Diesel Engine used for the test runs. The three aftertreatment devices are shown in Figure 6, 7 and 8 respectively. The photograph of Diesel engine's exhaust having DPF,DOC and Catalytic converter and Diesel engine's exhaust having Catalytic converter only shown in figure nine and ten respectively.



Figure 5. Diesel engine test rig

© 20XX JETIR Month 201X, Volume X, Issue X www.jet Table 1 Specification of the compression ignition (CI) engine www.jetir.org (ISSN-2349-5162)

CI	
1	
3.68K W	
1500RPM	
80mm × 110mm	
18:1	
	1500RPM 80mm × 110mm



Figure 6 Diesel Particulate Filters Table 2 Specifications of Diesel Particulate Filter

Table 2 Specifications of Diesel Particulate Filter			
DPF core	150mmX150mm		
Volume	2Liter		
Cell Density	100cpsi		
Material	Cordiente		
	A12O335.2±1.5%		
Chemical Composition	SiO250.9±1.5 %		
	MgO13.9±1.5 %		
Compressive Strength	=10Mpa		
Porosity	= 45 %		
Maximum Use Temperature	=1200 °C		
The average of pore diameter	7-10 µm		
Can thickness	1.2 mm		
Total Length	400 mm		
PGM	15 g/ft Pt/Pd=3/1		
PGM loading	15 gm/ft ³		
I	I		

Paper id

Journal of Emerging Technologies and Innovative Research (JETIR) www.jetir.org

. . . .

© 20XX JETIR Month 201X, Volume X, Issue X

www.jetir.org (ISSN-2349-5162)



Figure 7 Diesel Oxidation Catalyst



Figure 8 Catalytic ConverterTable 3 Specifications of Catalytic ConverterCell Density500 cpsiMaterialMild SteelTotal Length375 mmCeramic SubstrateHoney Comb Structure



Figure 9 Diesel engine exhaust having DPF,DOC and Catalytic converter



Figure 10 Diesel engine exhaust having Catalytic converter only

Journal of Emerging Technologies and Innovative Research (JETIR) www.jetir.org


© 20XX JETIR Month 201X, Volume X, Issue X 3. RESULTS AND DISCUSSION

www.jetir.org (ISSN-2349-5162)

Experimentations were carried out on a CI engine with diesel fuel and speed is maintained at 1500 rpm. The IP is 205 bar, IT is 23° BTDC, having HCC and three hole injector; each hole being 0.3 mm diameter as specified by manufacturer were adopted.

BTE of the engine with/without devices was found to be 15.77 % and 16.47 % at 4 kg and 6 kg loads respectively. In addition, the measured emissions are HC is 91 ppm, CO is 0.14 %, CO₂ is 6.62 % and NO is 435 ppm at 4 kg load.

3.1 HC emissions




Without incorporating any post treatment devices, HC emissions was found to be 85 ppm in the exhaust at no load condition as shown in figure 11. It reduces further to 54 ppm with DPF only, 52 ppm with DOC only, 50 ppm with both DPF and DOC; 45 ppm with new catalytic converter only, 43 ppm with both DPF andCatalytic converter, 41 ppm with both DOC and new catalytic converter and 38 ppm with combination of all three devices viz; DPF, DOC and new catalytic converter. Emissions were reduced because of New Catalytic Converter has been used. Emissions, which are released from diesel engine, were reacted with Platinum Group Metals (Platinum, Palladium, and Rhodium) which is coated inside the New Catalytic Converter. Platinum and Palladium are acts as oxidation process while Platinum and Rhodium are acts as Reduction process [6]. Emissions are decreased more when the combination of these three aftertreatment devices.

3.2 CO emissions

At 6 kg load and without incorporating any devices, CO emission is 0.26 % in the exhaust as shown in figure 12. It reduces further to 0.24 % when DPF is used, 0.22 % when DOC is used, 0.19 % when DPF and DOC used, 0.17 % New Catalytic Converter is used, 0.148 % when DPF and Catalytic converter is used, 0.138 % when DOC and Catalytic converter is used and 0.13 % when combination DPF, DOC and Catalytic Converter is used.

Paper id



© 20XX JETIR Month 201X, Volume X, Issue X

www.jetir.org (ISSN-2349-5162)

At 4 kg load and without incorporating any devices is 435 ppm of NO emissions present in the exhaust as shown in figure 13. It reduces further to 426 ppm when DPF is used, 417 ppm when DOC is used, 384 ppm when DPF and DOC used, 362 ppm New Catalytic Converter is used, 351ppm when DPF and Catalytic converter is used, 344 ppm when DOC and Catalytic converter is used and 332ppm when combination DPF, DOC and Catalytic Converter is used.

4. CONCLUSION

The effects of diesel engine fitted with DPF, DOC and New Catalytic Converter on engine emissions were investigated. Overall comparison of all the test runs, the least emission values were recorded when engine is loaded with sixty percent full load and having combined three aftertreatment devices including new catalytic converter. At this load, the emissions are HC is 40 ppm, CO is 0.1 %, and NO is 332 ppm. Hence, combined DPF, DOC and new catalytic converter for diesel engine provides reduction in exhaust gas emission.

Paper id Journal of Emerging Technologies and Innovative Research (JETIR)

© 20XX JETIR Month 201X, Volume X, Issue X

www.jetir.org (ISSN-2349-5162)

5. ACKNOWLEDGEMENTS

We are thankful to Bio-energy research and quality assurance laboratory, University of Agricultural Sciences, Bangalore, India

REFERENCES

- [1] Sridharan G, Chandramouli R, Mohamed MM and Ashok KT. Performance, combustion and emission characteristics of a single cylinder CI engine running on diesel-biodiesel-water emulsion with additive. Energy Sources, Part A:
- [2] Recovery, Utilization, and Environmental Effects, Taylor & Francis, 2019, https://doi.org/10.1080/15567036.2019.1704948, Pages 1-14
- [3] Barbara Apicella, Ezio Mancaruso, Carmela Russo, Antonio Tregrossi, Maria Maddalena Oliano, Anna Ciajolo and Bianca Maria Vaglieco, Effect of after-treatment systems on particulate matter emissions in diesel engine exhaust, Experimental Thermal and Fluid Science. 116 (2020) 110107, 1-8.
- [4] V Chintala, Amit Kumar, Ashish Karn, Swapnil S. Bhurat and Ayush Kumar Mishra, Development of an aftertreatment device with low cost catalysts for NOx emission reduction from diesel engines. Proceedings of 7th International and 45th National Conference on Fluid Mechanics and Fluid Power (FMFP), 2018. 1-8.
- [5] S Jenoris Muthiya and Senthilkumar Pachamuthu. Electrochemical NOx reduction and oxidation of HC and PM emissions from biodiesel fuelled diesel engines using electrochemically activated cell. International Journal of Green Energy, Taylor & Francis, 2018; 15(5): 314–324.
- [6] <u>G. Elavarasan</u> and Rajneesh Kaushal, Investigation of Metal doped-ZSM5 coated catalyst for emission reduction in a diesel engine fueled with biodiesel–diesel blends. International Journal of Ambient Energy, Taylor & Francis. 2022. https://doi.org/10.1080/01430750.2022.2056913.
- [7] <u>C Solaimuthu</u> and <u>P. Govindarajan</u>. Performance Evaluation of a Urea-water Selective Catalytic Reduction (SCR) for a Diesel Engine with Mahua Bio Diesel. <u>Energy Sources, Part A: Recovery, Utilization, and Environmental Effects.</u> Taylor & Francis, 2015; 37(13):1424–1431.
- [8] Praveen, V. Lakshmi Narayana, K. Ramanaiah. Influence of nano-additive Chlorella vulgaris microalgae biodiesel blends on the performance and emission characteristics of a DI diesel engine. International Journal of Ambient Energy, Taylor & Francis. 2020, 1-8.
- [9] Harish Venu, Prabhu Appavu. Effect of nano additives in spirulina microalgae biodiesel-diesel blends in a direct injection diesel engine. International Journal of Ambient Energy, Taylor & Francis.2021, 1-9.
- [10] R. V. S. Madhuri, A. Swarna Kumari, Comparative analysis on diesel engine fuelled with biodiesels blended with multi walled carbon nano tubes. International Journal of Ambient Energy. Taylor & Francis. 2021, 1-10.
- [11] R. Sam Sukumar, Muralidhara Rao Maddula, A. Gopala Krishna, Experimental investigations with zinc oxide and silver doped zinc oxide nanoparticles for performance and emissions study of biodiesel blends in diesel engine. International Journal of Ambient Energy, Taylor & Francis.2013, 1-10.

INAUGURAL CEREMONY

21st ISME International Conference on **Advances in Mechanical Engineering**



Jointly organized by



Dept. of Mech. Engg. **IIT Madras**

Under the aegis of



Indian Society of Mechanical Engineers (ISME)

Date: Thursday, July 13, 2023

Time: 09.30 AM

Venue: The Auditorium Dr. M R Doreswamy Silver Jubilee Complex, PES University 100 Feet Road, Banashankari III Stage, Bangalore- 560 085





INAUGURAL CEREMONY DIGNITARIES

Dr. M. R. Doreswamy, EX-MLC

Founder Chairman, PES Institutions Hon'ble Chancellor, PES University will preside

Mr. M. K. Swamy

Associate Vice President, Manufacturing Tovota Kirloskar Motor will be the Chief Guest

Prof. M. L. Munjal

Professor (Emeritus), Indian Institute of Science, Bengaluru & **INSA Honorary Scientist** will release the Book of Abstracts

Prof. D. Jawahar

Hon'ble Pro Chancellor, PES University will be the Guest of Honor

All are cordially invited

Dr. S. P. Singh Chairman. ISME

Dr. J. Survaprasad Vice Chancellor, PES University

Dr. K. S. Sridhar & Dr. K. Hariharan **Conference Chairs**

Perseverance	Excellence	Service	Perseverance	Excellence	Service

21st ISME International Conference on Advances in Mechanical Engineering (ISME-2023) Department of Mechanical Engineering, PES University, Bengaluru, July 13 – 15, 2023

graphene/h-BN heterostructure is investigated. The variations of lateral force during the sliding process with SW defects on the topmost layer are measured and compared with defect-free heterostructure cases.

PAPER ID - 23

An Investigation on the Mechanical and Durability Properties of Concrete structures incorporated with Low Carbon Steel – Industrial Waste Nirmala L^a*, Tejaswini M L^a, Shilpa M L^b and Bhavan Kashyap K^a

^aK.S.Institute of Technology, Bangalore, Karnataka, 560109.
 ^bChrist University, Bangalore, Karnataka, 560029.
 Corresponding author email: bhavankashyap201@gmail.com

Abstract

This work focuses on the use of steel slag of low carbon – an industrial waste as a fractional substitution of coarse aggregate for its utilization in cement concrete and building construction. The waste material produced annually during the manufacturing of low carbon steel components leads to major economic and environmental problem. Hence the work aims at utilizing the waste in concrete to develop sustainable building materials. In this study, two samples of concrete mixture were set with 0% and 20% low carbon steel as coarse aggregate. Initially mix design of concrete for M40 grade was done. The strength of compression, tension, and flexure for low carbon admixed concrete increased substantially. Water absorption of concrete admixed with low carbon steel was substantially minimum in contrast with concrete without low carbon steel. The outcome of acid attack and sulphate attack tests infer that the properties of both admixed and normal concrete were not substantial. This work suggests 20% low carbon steel slag is an optimum content as a fractional substitution to coarse aggregate.

PAPER ID - 24

Synthesis and characterization of Al7075 Micro composites with MgO/Mn Avyakth S Shekar, Balgopal C, Akshay Vasista B, Taniya Kaushik, Sateesh Mudalagi Department of Mechanical Engineering, PES University, Bangalore, Karnataka, 560085

Corresponding author email: avyakthshekar007@gmail.com

Abstract

The evaluation of corrosion resistance, hardness and tensile strength of the stir casted AI7075 alloy and AI7075 with 4%MgO and 4%MgO/1.5%Mn has been done via Salt spray analysis, Rockwell's Hardness Machine and Universal Testing Machine. AI7075 alloy was melted at 700°C with reinforcements added, the mixture was then poured into sand molds. The microstructure of the casted samples of compositions AI7075+4%MgO and AI7075+4%MgO+1.5%Mn were studied using scanning electron microscope (SEM) which shows the presence and even distribution of the reinforcements added. Hardness test was conducted on all the compositions of the casted and heattreated samples prepared with a steel tip indenter of diameter 10mm. Tensile test was conducted at an ambient temperature of 27°C. The yield stress, percent elongation, and ultimate tensile strength were determined for the cast and heat-treated samples. The corrosion test was conducted in a salt